



DIRECTIONS FOR USE

TURFGRASS APPLICATIONS

LAWN, TURF & PASTURES: Use 2 pounds per 1,000 square feet to apply .96 pounds of potassium per 1,000 square feet. Apply with fertilizer spreader or broadcast evenly by hand. Do not make over 3 applications per year and wait at least 2 months between applications to retest potassium level.

SPREADER SETTINGS


- Lesco.....11
- Earthway.....10
- Scotts.....3-4

FIRST AID: Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. If in eyes: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse every 20 minutes. If eye irritation persists, get medical attention. If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Maintain an open airway. Get medical attention if symptom occur. If on skin: Flush contaminated skin with plenty of water. Continue to rinse for at least 20 minutes. Get medical attention if irritation develops and persists. Wash clothing before reuse. Clean shoes thoroughly before re-use. If swallowed: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so the vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. Get medical attention if the symptoms occur. Notes to physician: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

SULFATE OF POTASH
0-0-48 45 Day Slow-Release
 CORRECTS POTASSIUM DEFICIENCY

GUARANTEED ANALYSIS	
Soluble Potash (K₂O)	48.000% *
Chlorine, (Cl) not more than	2.000%
Secondary Plant Food: Derived From: Polymer Coated Sulfate of Potash	

WARNING KEEP OUT OF THE REACH OF CHILDREN
 May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes and skin. Wash thoroughly after using. Keep away from fire and sparks.



Manufactured & Guaranteed By:
 Howard Fertilizer & Chemical Co., Inc
 8306 S. Orange Ave. Orlando, FL 32809
 Telephone: 1 (407) 855-1841 F1261P.O.
 Box 218 Palmetto, FL 34220

NET WEIGHT
15 lbs (6.80 kg)

